

SAMPLE IDENTIFICATION

Peptide:	BPC/TB Blend	Date Requested:	N/A
Client:		Date Received:	May 9, 2026
Vendor:		Date Tested:	May 14, 2026
Lot Number:	BAT-BTBK651	Date Reported:	May 15, 2026

HPLC-UV PURITY & CONTENT ANALYSIS

Expected Content 20.00 mg	Mass 19.28 mg	Purity 99.98%	Fill Accuracy 96.4%
-------------------------------------	-------------------------	-------------------------	-------------------------------





Fig. 1 - HPLC-UV Chromatogram at 214nm



Appearance

Appearance:	White Lyophilized Powder
Cap Color:	Black

BACTERIAL ENDOTOXIN TEST (USP <85>)

Method	Result	Specification	Verdict
Kinetic LAL (USP <85>)	< 0.125 EU/mL	<= 0.125 EU/mL	PASS

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

ANTIMICROBIAL TESTING (USP <2021>/<2022>)

Parameter	Method	Result	Specification	Verdict
Total Aerobic Microbial Count (TAMC)	USP <2021>	0 CFU/ml	< 10 CFU/mL	PASS
Total Yeast & Mold Count (TYMC)	USP <2022>	0 CFU/ml	< 10 CFU/mL	PASS
Overall: Pass / Sample meets specification				

This Certificate of Analysis is provided for informational and research purposes only.



Digital Verification